


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

2.09



COTTAGE GARDENS

NURSERIES

(OF EUREKA, CAL.)

WHOLESALE PRICE LIST
1919-1920

FOR THE TRADE ONLY

SALES HEADQUARTERS

SAN JOSE, CAL.

TERMS AND CONDITIONS

(Please read carefully)

Prices herein are strictly net and to the trade only.

Rates apply as follows: If only one price is quoted it is a "flat rate" regardless of quantity. Where a second price is quoted the order must call for 50 or more of that particular item to get the lower rate. No exceptions.

Terms to customers of approved credit are 60 days from date of invoice, or 2% for cash in 10 days. Buyers unknown to us will please send remittance with order or give bank or trade reference. If C. O. D. shipment is wanted send one-third of amount with order.

Grading. Ordinary plants are graded by their height measured from surface of soil. Those of prostrate habit or wherever width is greater than height are graded, if symmetrical, by full width; if not symmetrical, by the distance from crown to end of longest shoot.

Point of Shipment. All stock offered will be shipped from San Jose at these rates except that where we also have the desired stock at Eureka and it is to the buyer's advantage to do so, we will ship direct from there by water.

Transportation. Please state whether to ship by express, freight or water, otherwise we will use our best judgment.

Packing is charged for at cost of material.

Claims. All goods travel at buyer's risk and our receipt from transportation company is to be held as evidence of satisfactory condition at that time. Before receipting for shipment examine it to see if in apparently good shape. If injured in transit memorandum should be made on freight bill and claim filed with transportation company. If there is any complaint as to shortage, grade or quality of goods it must be made within ten days after goods arrive. Otherwise it will be assumed that shipment is accepted as satisfactory. Any goods not up to representation may be returned at once, provided we are first notified so we may give instructions as to shipment.

Previous Quotations are hereby cancelled. Dated Dec. 15, 1919.

Nomenclature. The names of trees and shrubs in this catalog, with a few exceptions, are based on the recommendations of the American Joint Committee on Horticultural Nomenclature as they appear in Bailey's Standard Cyclopedia of Horticulture, pages 3575 to 3591.

COTTAGE GARDENS NURSERIES

G. VAN DEN ABEELE, Receiver
Eureka, Cal.

W. B. CLARKE, Sales Manager.
San Jose, Cal.

EUREKA NURSERY

Located in the great Redwood district of Humboldt County. The cool, foggy climate and forest soil are ideal for Azaleas, Rhododendrons, Box, Conifers, Bulbs, etc. To the extremely favorable natural condition we have added a magnificent equipment of greenhouses, sprinkler systems, packing houses, etc.

SAN JOSE BRANCH

In the famous Santa Clara Valley. Located on State Highway from San Jose to Oakland near Coyote Creek Bridge. Sales headquarters. Extensive lath houses enable us to carry in stock a large assortment of Eureka grown stock. Deciduous trees and shrubs, also roses, are grown here. Customers in San Francisco Bay region are cordially invited to visit this branch and make their selections.

IMPORTANT

All correspondence, inquiries and orders should be sent to Box 543, San Jose, California, as all sales are now handled through San Jose Branch.

SPECIALTIES

(All plants in this division are "balled" unless otherwise specified.)

AZALEAS

Less than 50 or
50 @ more @

AZALEA hinodigiri—Sold for this season.

| | | | |
|-------------------|--------------|------|------|
| indica alba | 24 to 30 in. | 2.00 | 1.85 |
| | 18 to 24 in. | 1.75 | 1.60 |

RHODODENDRONS

RHODODENDRON Pink Pearl—Sold for this season.

| | | | |
|---|--------------------|------|------|
| White Pearl | 24 to 30 buds | 5.00 | 4.50 |
| (And others if varieties are selected by buyer.) | 18 to 24 buds | 3.50 | 3.00 |
| | 12 to 18 buds | 2.50 | 2.25 |
| | 8 to 12 buds | 2.00 | 1.75 |
| General Collection | 24 to 30 buds | 3.50 | 3.25 |
| (Buyer's choice of colors but our selection of named varieties.) | 18 to 24 buds | 2.50 | 2.25 |
| | 12 to 18 buds | 2.00 | 1.75 |
| | 8 to 12 buds | 1.50 | 1.35 |
| | 6 to 8 buds | 1.25 | 1.15 |
| Landscape Stock | 30 to 36 in. width | 3.00 | 2.75 |
| Plants offered under this head are very lightly budded, hence not suitable for florists, but are fine in every way for planting out. At these prices they will be shipped only direct from Eureka and positively our choice of varieties. | 24 to 30 in. width | 2.50 | 2.25 |
| | 18 to 24 in. width | 2.00 | 1.75 |
| | 15 to 18 in. width | 1.50 | 1.25 |
| | 12 to 15 in. width | 1.25 | 1.00 |
| | 10 to 12 in. width | 1.00 | .90 |

All our Ericas are field grown, hence very bushy in proportion to their height.

ERICA OR HEATHER

| | | | | |
|---|----|-----------|------|------|
| ERICA cinerea carnea (cerise) | 1 | to 1½ ft. | .50 | .40 |
| | 8 | to 12 in. | .40 | .35 |
| | 6 | to 8 in. | .30 | .25 |
| lusitanica (white) | 1½ | to 2 in. | .75 | .60 |
| mediterranea (purple) | 1 | to 1½ ft. | .60 | .50 |
| | 6 | to 8 in. | .30 | .25 |
| mediterranea hybrida (purple) | 1 | to 1½ ft. | .75 | .60 |
| | 8 | to 12 in. | .60 | .50 |
| | 6 | to 8 in. | .50 | .40 |
| melanthera (pink) | 2 | to 2½ ft. | 1.50 | 1.25 |
| | 1½ | to 2 ft. | .85 | .75 |
| | 1 | to 1½ ft. | .60 | .50 |
| | 8 | to 12 in. | .40 | .35 |
| | 6 | to 8 in. | .30 | .25 |
| persoluta alba (white).....6 in. pot... | 1 | to 1½ ft. | .60 | .50 |
| translucens (pink; long flower)..... | 1 | to 1½ ft. | 1.50 | |
| triumphans (white) | 1½ | to 2 ft. | 1.00 | .75 |
| | 1 | to 1½ ft. | .60 | .50 |
| | 6 | to 8 in. | .30 | .25 |
| vagans alba (white) | 8 | to 12 in. | .50 | |
| vagans rosea (pink)..... | 6 | to 8 in. | .50 | |
| veitchi (white) | 1½ | to 2 ft. | 1.00 | .75 |
| | 1 | to 1½ ft. | .60 | .50 |
| | 6 | to 8 in. | .30 | .25 |

HYDRANGEA

| | | | | Less than 50 @ | 50 or more @ |
|--|----|-------|--------|----------------|--------------|
| HYDRANGEA domoti (double). Field grown stock.. | 15 | to 18 | shoots | 2.50 | 2.00 |
| A remarkably fine novelty. Flowers | 12 | to 15 | shoots | 2.00 | 1.50 |
| are very double as well as large, usually over an inch broad, assembled in | 8 | to 12 | shoots | 1.50 | 1.25 |
| large half globular clusters. Its natural color is a light pink, but like all Hydrangeas grown at Eureka our stock | 6 | to 8 | shoots | 1.25 | 1.00 |
| will come blue the first season or two, ultimately becoming pink. The plant is very compact and short jointed. Excellent forcer. Offered this stason for the first time. | | | | | |

BOXWOOD

| | | | | | |
|------------------------|--------------|-------|-------|------|-----------|
| BOXWOOD Pyramids | 3½ | to 4 | ft. | 4.00 | |
| | 3 | to 3½ | ft. | 3.00 | 2.75 |
| | 2½ | to 3 | ft. | 2.50 | 2.25 |
| | 1½ | to 2 | ft. | 1.50 | 1.25 |
| Globes | diameter.. | 14 | to 16 | in. | 2.25 2.00 |
| | diameter.. | 12 | to 14 | in. | 1.75 1.50 |
| Bushy | bare roots.. | 4 | to 6 | in. | .20 .15 |
| Natural | bare roots.. | 3 | to 4 | in. | .08 .06 |

CONIFERS

(All plants in this division are "balled" unless otherwise specified.)

| | | | | | |
|--------------------------------------|----|-------|-----|------|------|
| ABIES baborensis, ALGERIAN FIR..... | 2½ | to 3 | ft. | 2.00 | 1.75 |
| (A. numidica) | 2 | to 2½ | ft. | 1.50 | 1.40 |
| cephalonica, CEPHALONIAN FIR..... | 3 | to 3½ | ft. | 2.75 | |
| | 2½ | to 3 | ft. | 2.00 | 1.75 |
| | 2 | to 2½ | ft. | 1.50 | 1.40 |
| | 1½ | to 2 | ft. | 1.25 | 1.15 |
| | 1 | to 1½ | ft. | 1.00 | .85 |
| | 8 | to 12 | in. | .75 | .60 |
| cilicica, CILICIAN FIR | 2 | to 2½ | ft. | 1.50 | 1.40 |
| | 1½ | to 2 | ft. | 1.25 | 1.15 |
| | 1 | to 1½ | ft. | 1.00 | .85 |
| concolor, WHITE FIR..... | 2½ | to 3 | ft. | 2.00 | |
| | 2 | to 2½ | ft. | 1.50 | 1.40 |
| | 1½ | to 2 | ft. | 1.25 | 1.15 |
| | 1 | to 1½ | ft. | 1.00 | .85 |
| | 8 | to 12 | in. | .75 | .60 |
| firma, JAPANESE FIR | 2½ | to 3 | ft. | 2.25 | |
| | 2 | to 2½ | ft. | 1.75 | |
| | 1½ | to 2 | ft. | 1.50 | |
| lasiocarpa, ALPINE FIR | 3½ | to 4 | ft. | 3.50 | |
| | 3 | to 3½ | ft. | 2.75 | 2.50 |
| | 2½ | to 3 | ft. | 2.00 | 1.75 |
| | 2 | to 2½ | ft. | 1.50 | |
| | 1½ | to 2 | ft. | 2.00 | |
| | 1 | to 1½ | ft. | 1.50 | 1.25 |
| nobilis, RED FIR | 1½ | to 2 | ft. | 1.75 | |
| | 1 | to 1½ | ft. | 1.25 | 1.00 |
| | 6 | to 12 | in. | 1.00 | |
| nobilis glauca, SILVERY RED FIR..... | 1½ | to 2 | ft. | 2.00 | |
| | 1 | to 1½ | ft. | 1.50 | 1.25 |
| | 8 | to 12 | in. | 1.25 | |
| | 6 | to 8 | in. | 1.00 | .90 |

ABIES—Continued.

| | | | Less than 50 @ | 50 or more @ |
|---|---------------|------------|-------------------|-----------------|
| nordmanniana, NORDMANN'S FIR | 18 in. box... | 3 1/2 ft. | 5.00 | |
| | 2 1/2 to 3 | ft. | 2.50 | 2.25 |
| | 2 to 2 1/2 | ft. | 2.00 | 1.75 |
| | 1 1/2 to 2 | ft. | 1.50 | 1.25 |
| | 1 to 1 1/2 | ft. | 1.25 | 1.00 |
| | 8 to 12 | in. | 1.00 | .75 |
| | 5 in. pot... | 1 to 1 1/2 | ft. | .85 |
| pectinata pyramidalis | 6 | to 8 | in. | .75 |
| pinsapo, SPANISH FIR | 2 1/2 to 3 | ft. | 2.50 | |
| | 2 to 2 1/2 | ft. | 2.00 | 1.75 |
| | 8 to 12 | in. | 1.00 | .75 |
| pinsapo glauca, SILVERY SPANISH FIR | 1 1/2 to 2 | ft. | 2.00 | |
| | 1 to 1 1/2 | ft. | 1.50 | |
| veitchi, VEITCH'S FIR | 3 to 3 1/2 | ft. | 2.75 | |
| | 2 1/2 to 3 | ft. | 2.00 | |
| | 2 to 2 1/2 | ft. | 1.50 | |
| | 1 1/2 to 2 | ft. | 1.25 | |
| | 1 to 1 1/2 | ft. | 1.00 | |
| ARAUCARIA bidwilli, BUNYA BUNYA | 6 in. pot... | 2 1/2 to 3 | ft. | 1.25 |
| | 6 in. pot... | 2 to 2 1/2 | ft. | 1.00 |
| imbricata, MONKEY PUZZLE | 1 1/2 to 2 | ft. | 1.25 | |
| CEDRUS atlantica, MT. ATLAS CEDAR | 3 to 4 | ft. | 2.00 | |
| | 2 1/2 to 3 | ft. | 1.50 | |
| atlantica fastigiata | 5 to 6 | ft. | 4.00 | |
| | 4 1/2 to 5 | ft. | 3.50 | |
| | 4 to 4 1/2 | ft. | 3.00 | |
| atlantica glauca, BLUE MT. ATLAS CEDAR | 8 to 9 | ft. | 10.00 | |
| | 6 to 7 | ft. | 5.00 | |
| | 5 to 6 | ft. | 4.00 | |
| | 4 to 5 | ft. | 3.50 | |
| deodara, HIMALAYA CEDAR | 7 to 8 | ft. | 5.00 | |
| | 6 to 7 | ft. | 4.00 | |
| | 5 to 6 | ft. | 3.00 | |
| | 4 to 5 | ft. | 1.75 | 1.50 |
| | 3 to 4 | ft. | 1.50 | 1.25 |
| | 2 to 3 | ft. | 1.00 | |
| deodara verticillata glauca | 2 to 2 1/2 | ft. | 1.50 | |
| | 1 1/2 to 2 | ft. | 1.00 | |
| | 1 to 1 1/2 | ft. | .75 | |
| libani, CEDAR OF LEBANON | 3 to 4 | ft. | 2.50 | |
| | 2 1/2 to 3 | ft. | 1.75 | |
| | 2 to 2 1/2 | ft. | 1.25 | |
| | 1 1/2 to 2 | ft. | 1.00 | |
| CEPHALOTAXUS drupacea | 2 to 2 1/2 | ft. | 1.50 | |
| fortunei | 2 1/2 to 3 | ft. | 1.75 | |
| harringtonia fastigiata (ped. fast.) | 2 1/2 to 3 | ft. | 1.75 | |
| CHAMÆCYPARIS lawsoniana, LAWSON CYPRESS | 6 to 7 | ft. | 3.00 | |
| | 5 to 6 | ft. | 2.50 | |
| | 4 to 5 | ft. | 2.00 | |
| | 3 to 4 | ft. | 1.50 | |
| | 2 1/2 to 3 | ft. | 1.25 | |
| laws. alumi | 4 1/2 to 5 | ft. | 4.00 | 3.50 |
| | 4 to 4 1/2 | ft. | 3.50 | 3.00 |
| | 3 1/2 to 4 | ft. | 3.00 | 2.75 |
| | 3 to 3 1/2 | ft. | 2.50 | 2.40 |
| laws. erecta coerulea | 4 to 5 | ft. | 3.00 | |
| laws. erecta viridis | 2 1/2 to 3 | ft. | 1.75 | |
| laws. Triumph of Boskoop | 4 to 4 1/2 | ft. | 3.00 | 2.75 |
| | 3 1/2 to 4 | ft. | 2.50 | 2.25 |
| | 3 to 3 1/2 | ft. | 2.00 | 1.80 |
| | 2 1/2 to 3 | ft. | 1.75 | |
| nootkatensis, NOOTKA SOUND CYPRESS | 3 1/2 to 4 | ft. | 2.00 | |
| | 2 1/2 to 3 | ft. | 1.50 | |

CHAMÆCYPARIS—Continued.

| | | | | | Less than 50 @ | 50 or more @ |
|---|-------------|-------|-------|-------|-------------------|-----------------|
| obtusa (columnar) JAPANESE CEDAR..... | 6 | to 7 | ft. | 12.50 | | |
| | 5 | to 6 | ft. | 10.00 | | |
| | 4 | to 4½ | ft. | 6.00 | | |
| | 3½ | to 4 | ft. | 5.00 | | |
| | 3 | to 3½ | ft. | 4.00 | | |
| obtusa gracilis | 2½ | to 3 | ft. | 3.00 | | |
| | 5 | to 6 | ft. | 5.00 | | |
| | 4½ | to 5 | ft. | 3.75 | | |
| obtusa gracilis aurea | 1 | to 1½ | ft. | 1.00 | | |
| | 10 | to 12 | in. | .75 | | |
| obtusa nana | 6 | to 8 | in. | .75 | | |
| obtusa nana aurea | 1 | to 1½ | ft. | 1.25 | | |
| | 6 | to 8 | in. | .75 | | |
| obtusa nana compacta aurea | 6 | to 8 | in. | 1.00 | | |
| pisifera filifera | 4 | to 5 | ft. | 4.00 | 3.50 | |
| | 3 | to 4 | ft. | 3.00 | 2.50 | |
| | 2½ | to 3 | ft. | 2.50 | 2.00 | |
| | 2 | to 2½ | ft. | 2.00 | 1.75 | |
| | 1 | to 1½ | ft. | .75 | .60 | |
| pisifera filifera aurea | 2 | to 2½ | ft. | 2.00 | | |
| pisifera plumosa | 1 | to 1½ | ft. | .75 | | |
| | 10 | to 12 | in. | .60 | | |
| pisifera plumosa aurea | 2 | to 2½ | ft. | 2.00 | | |
| thyoides | 2 | to 2½ | ft. | 2.00 | | |
| thyoides aurea (sphaeroidea aurea)..... | 1 | to 1½ | ft. | 1.00 | | |
| CRYPTOMERIA japonica elegans | 2½ | to 3 | ft. | 1.25 | 1.00 | |
| japonica elegans compacta | 5 in. pot. | 2½ | to 3 | ft. | 1.50 | |
| | 5 in. pot. | 2 | to 2½ | ft. | 1.25 | |
| | 5 in. pot. | 1½ | to 2 | ft. | 1.00 | |
| lobbi | 1 | to 1½ | ft. | 1.25 | | |
| CUPRESSUS arizonica, ARIZONA CYPRESS..... | 4 | to 5 | ft. | 1.75 | | |
| | 3 | to 4 | ft. | 1.50 | | |
| | 4 in. pot. | 1½ | to 2 | ft. | .50 | |
| | 4 in. pot. | 1 | to 1½ | ft. | .40 | |
| glabra | 4 in. pot. | 1 | to 1½ | ft. | .50 | |
| | 4 in. pot. | 8 | to 12 | in. | .40 | |
| sempervirens roylei | 4 in. pot. | 3 | to 4 | ft. | .75 | |
| IMPROVED ITALIAN CYPRESS | 4 in. pot. | 2½ | to 3 | ft. | .60 | |
| | 4 in. pot. | 2 | to 2½ | ft. | .50 | |
| JUNIPERUS sp. Number 1..... | 6 | to 7 | ft. | 5.00 | | |
| | 5 | to 6 | ft. | 3.50 | | |
| | 4 | to 5 | ft. | 2.50 | | |
| sp. Number 2..... | 6 | to 7 | ft. | 5.00 | | |
| | 5 | to 6 | ft. | 3.50 | | |
| | 4 | to 5 | ft. | 2.50 | | |
| chinensis albo-variegata | 12 in. box. | 3 | ft. | 3.00 | | |
| | 4 | to 4½ | ft. | 4.00 | | |
| | 3½ | to 4 | ft. | 3.00 | | |
| | 3 | to 3½ | ft. | 2.50 | | |
| | 2½ | to 3 | ft. | 2.00 | | |
| chinesis fortunei | 14 in. box. | 4½ | to 5 | ft. | 3.50 | |
| | 5 | to 6 | ft. | 4.00 | | |
| | 4 | to 5 | ft. | 3.00 | | |
| | 3 | to 4 | ft. | 2.00 | | |
| | 2½ | to 3 | ft. | 1.25 | | |
| | 2 | to 2½ | ft. | 1.00 | | |
| chinensis pfitzeriana | 4 | to 5 | ft. | 4.00 | | |
| | 3½ | to 4 | ft. | 3.50 | | |
| | 1 | to 1½ | ft. | 1.00 | | |
| chinensis procumbens, CRPG. JAP. JUNIPER..... | 1 | to 1½ | ft. | 1.00 | | |
| chinensis procumbens aureo variegata..... | 1 | to 1½ | ft. | 1.25 | | |

JUNIPERUS—Continued.

| | | | | | Less than 50 @ | 50 or more @ |
|--|----|-------|-----|------|-------------------|-----------------|
| <i>communis hibernica</i> , IRISH JUNIPER | 3 | to 4 | ft. | 2.00 | | |
| | 2½ | to 3 | ft. | 1.50 | | |
| | 2 | to 2½ | ft. | 1.25 | | |
| | 1½ | to 2 | ft. | .75 | | .65 |
| | 1 | to 1½ | ft. | .60 | | .50 |
| <i>excelsa stricta</i> , GRECIAN JUNIPER | 10 | to 12 | in. | .75 | | |
| <i>sabina tamariscifolia</i> | 1 | to 1½ | ft. | 1.00 | | |
| <i>squamata</i> | 1 | to 1½ | ft. | 1.00 | | |
| <i>virginiana</i> , RED CEDAR | 1½ | to 2 | ft. | .75 | | .60 |
| <i>virginiana glauca</i> | 5 | to 6 | ft. | 3.50 | | |
| | 4 | to 5 | ft. | 2.50 | | |
| | 3 | to 4 | ft. | 2.00 | | |
| <i>virginiana kosteriana</i> | 1 | to 1½ | ft. | 1.00 | | |
| LIBOCEDRUS <i>chilensis</i> , | 2½ | to 3 | ft. | 2.00 | | |
| CHILEAN INCENSE CEDAR. | 1½ | to 2 | ft. | 1.00 | | |
| | 1 | to 1½ | ft. | .75 | | |
| | 6 | to 8 | in. | .50 | | |
| <i>chilensis viridis</i> | 1½ | to 2 | ft. | 1.00 | | |
| | 1 | to 1½ | ft. | .75 | | |
| PICEA <i>excelsa</i> , NORWAY SPRUCE | 2½ | to 3 | ft. | 1.25 | | 1.00 |
| | 2 | to 2½ | ft. | 1.00 | | .85 |
| <i>orientalis</i> , ORIENTAL SPRUCE | 2½ | to 3 | ft. | 2.00 | | |
| | 2 | to 2½ | ft. | 1.50 | | 1.40 |
| | 1½ | to 2 | ft. | 1.25 | | |
| | 1 | to 1½ | ft. | 1.00 | | |
| <i>orientalis gracilis</i> | 8 | to 12 | in. | 1.25 | | |
| | 6 | to 8 | in. | 1.00 | | |
| <i>polita</i> , TIGER TAIL SPRUCE | 8 | to 12 | in. | 1.00 | | |
| | 6 | to 8 | in. | .75 | | |
| <i>pungens</i> , COLORADO SPRUCE | 1½ | to 2 | ft. | 1.00 | | |
| | 1 | to 1½ | ft. | .85 | | .75 |
| <i>pungens kosteriana</i> , KOSTER'S BLUE SPRUCE | 1½ | to 2 | ft. | 1.50 | | |
| | 1 | to 1½ | ft. | 1.00 | | .90 |
| | 8 | to 12 | in. | .75 | | |
| <i>pungens kosteriana compacta</i> | 1½ | to 2 | ft. | 1.50 | | |
| | 1 | to 1½ | ft. | 1.00 | | |
| <i>sitchensis</i> , MENZIES SPRUCE | 3 | to 4 | ft. | 1.00 | | |
| | 2 | to 3 | ft. | .75 | | |
| PINUS <i>cembra</i> , SWISS STONE PINE | 1½ | to 2 | ft. | .60 | | .50 |
| | 1 | to 1½ | ft. | .50 | | .40 |
| <i>coulteri</i> , BIG CONE PINE | 1½ | to 2 | ft. | .60 | | .50 |
| <i>flexilis</i> , LIMBER PINE | 2 | to 2½ | ft. | .75 | | |
| | 1½ | to 2 | ft. | .60 | | |
| | 1 | to 1½ | ft. | .50 | | |
| <i>halepensis</i> , ALEPPO PINE | 4 | to 5 | ft. | 1.25 | | 1.00 |
| <i>montana</i> , SWISS MOUNTAIN PINE..... | 4 | to 5 | ft. | 1.50 | | 1.25 |
| <i>pinaster</i> , CLUSTER PINE | 5 | to 6 | ft. | 2.00 | | 1.75 |
| (<i>maritima</i>) | | | | | | |
| <i>radiata</i> , MONTEREY PINE..... 4 in. pot..... | 3 | to 4 | ft. | .60 | | |
| <i>resinosa</i> , NORWAY PINE | 5 | to 6 | ft. | 2.00 | | 1.75 |
| | 4 | to 5 | ft. | 1.50 | | 1.25 |
| | 3 | to 4 | ft. | 1.00 | | .85 |
| <i>strobis</i> , WHITE PINE | 4 | to 5 | ft. | 1.50 | | 1.25 |
| | 3 | to 4 | ft. | 1.00 | | .85 |
| No name | 4 | to 5 | ft. | 1.50 | | |
| | 3 | to 4 | ft. | 1.00 | | |
| | 2 | to 3 | ft. | .75 | | |
| PODOCARPUS <i>macrophylla</i> | 2 | to 2½ | ft. | 1.50 | | 1.25 |
| PSEUDOTSUGA <i>douglasi glauca</i> | 6 | to 8 | in. | .75 | | |
| <i>douglasi pendula</i> | 3 | to 3½ | ft. | 2.00 | | |
| | 2½ | to 3 | ft. | 1.50 | | |
| | 2 | to 2½ | ft. | 1.25 | | |
| RETINISPORA <i>ericoides</i> | 10 | to 12 | in. | .75 | | .60 |
| <i>sieboldi</i> | 10 | to 12 | in. | .75 | | .60 |

| | | | | Less than 50 @ | 50 or more @ |
|--|---------------|-----------|-----------|----------------|--------------|
| SCIADOPITYS verticillata | 18 in. box... | 8 | to 9 ft. | 15.00 | |
| UMBRELLA PINE | 18 in. box... | 7 | to 8 ft. | 12.50 | |
| | | 6 | to 7 ft. | 8.00 | |
| | | 5 | to 6 ft. | 6.00 | |
| | | 4 | to 5 ft. | 4.50 | |
| | | 3½ | to 4 ft. | 3.50 | 3.25 |
| | | 3 | to 3½ ft. | 3.00 | 2.75 |
| | | 2½ | to 3 ft. | 2.50 | 2.25 |
| | | 2 | to 2½ ft. | 2.00 | |
| | | 1½ | to 2 ft. | 1.50 | |
| | | 1 | to 1½ ft. | 1.25 | |
| SEQUOIA gigantea, CALIFORNIA BIG TREE..... | 5 | to 6 ft. | 4.00 | | |
| | 4 | to 5 ft. | 3.00 | | |
| | 3 | to 4 ft. | 2.25 | | |
| | 5 in. pot... | 8 | to 12 in. | .50 | .40 |
| | 4 in. pot... | 1½ | to 2 ft. | .60 | .50 |
| | 3 in. pot... | 1 | to 1½ ft. | .50 | .40 |
| | 3 in. pot... | 8 | to 10 in. | .40 | .35 |
| gigantea pendula | 4½ | to 5 ft. | 5.00 | | |
| | 4 | to 4½ ft. | 4.00 | | |
| | 3½ | to 4 ft. | 3.50 | | |
| sempervirens, REDWOOD | 4 in. pot... | 1½ | to 2 ft. | .35 | .30 |
| | 4 in. pot... | 1 | to 1½ ft. | .30 | .25 |
| TAXUS baccata adpressa | 5 | to 6 ft. | 3.50 | | |
| baccata erecta, ERECT YEW | 3½ | to 4 ft. | 2.50 | | |
| | 6 | to 10 in. | .50 | | |
| baccata fastigiata, IRISH YEW | 5 | to 5½ ft. | 6.00 | | |
| | 4½ | to 5 ft. | 5.00 | | |
| | 4 | to 4½ ft. | 4.25 | | |
| | 3½ | to 4 ft. | 3.50 | | |
| baccata fastigiata aurea | 3½ | to 4 ft. | 4.00 | | |
| | 3 | to 3½ ft. | 3.50 | | |
| | 2½ | to 3 ft. | 3.00 | | |
| baccata overeinderi | 3½ | to 4 ft. | 2.50 | | |
| | 3 | to 3½ ft. | 2.00 | | |
| | 2½ | to 3 ft. | 1.75 | 1.50 | |
| | 6 | to 10 in. | .60 | .50 | |
| baccata repandens | 2 | to 2½ ft. | 1.75 | 1.60 | |
| | 1½ | to 2 ft. | 1.25 | 1.10 | |
| | 1 | to 1½ ft. | 1.00 | .90 | |
| baccata washingtoni, | 6 | to 8 in. | .75 | | |
| WASHINGTON GOLDEN YEW. | | | | | |
| cuspidata | 2 | to 2½ ft. | 1.75 | | |
| | 1½ | to 2 ft. | 1.25 | 1.10 | |
| | 1 | to 1½ ft. | 1.00 | .90 | |
| | 6 | to 8 in. | .60 | .50 | |
| THUJA occidentalis, AMERICAN ARBOR VITAE | | | | | |
| occidentalis argentea | 1½ | to 2 ft. | 1.25 | | |
| occ. Geo. Peabody | 6 | to 10 in. | .50 | | |
| occ. globosa compacta | 1 | to 1½ ft. | .75 | .65 | |
| | 6 | to 10 in. | .60 | .50 | |
| occ. globosa nana | 1 | to 1½ ft. | .75 | .65 | |
| occ. pumila | 1½ | to 2 ft. | 1.00 | | |
| | 1 | to 1½ ft. | .75 | .65 | |
| occ. pyramidalis | 7 | to 8 ft. | 7.50 | | |
| | 6 | to 7 ft. | 5.00 | | |
| | 5 | to 6 ft. | 3.50 | | |
| | 4 | to 5 ft. | 2.75 | | |
| occ. rosenthali | 2 | to 2½ ft. | 1.00 | .90 | |
| | 1½ | to 2 ft. | .75 | | |

THUJA—Continued.

| | | | | Less than 50 @ | 50 or more @ |
|--|----|-------|-----|-------------------|-----------------|
| occ. wareana (sibirica) | 3½ | to 4 | ft. | 3.50 | 3.00 |
| SIBERIAN ARBOR VITAE. | 3 | to 3½ | ft. | 3.00 | 2.50 |
| | 2 | to 2½ | ft. | 1.75 | 1.50 |
| | 1½ | to 2 | ft. | 1.00 | .85 |
| | 1 | to 1½ | ft. | .75 | .65 |
| | 8 | to 12 | in. | .60 | .50 |
| orientalis (selected seedlings) | 4 | to 5 | ft. | 3.00 | |
| CHINESE ARBOR VITAE. | 3 | to 4 | ft. | 2.00 | |
| | 2½ | to 3 | ft. | 1.50 | |
| | 2 | to 2½ | ft. | 1.25 | |
| | 1½ | to 2 | ft. | 1.00 | |
| orientalis aurea | 1 | to 1½ | ft. | 1.00 | .85 |
| orientalis aurea conspicua | 4 | to 4½ | ft. | 4.00 | 3.75 |
| PYRAMIDAL GOLDEN ARBOR VITAE. | 3½ | to 4 | ft. | 3.50 | 3.25 |
| | 3 | to 3½ | ft. | 3.00 | 2.50 |
| | 2½ | to 3 | ft. | 2.50 | 2.00 |
| | 2 | to 2½ | ft. | 2.00 | 1.75 |
| orientalis aurea nana | 12 | to 15 | in. | 1.25 | |
| DWARF GOLDEN ARBOR VITAE | 10 | to 12 | in. | 1.00 | .90 |
| | 8 | to 10 | in. | .75 | .70 |
| | 6 | to 8 | in. | .60 | |
| plicata gracilis | 8 | to 10 | in. | .50 | |
| plicata gracilis aurea | 1 | to 1½ | ft. | .75 | |
| | 8 | to 12 | in. | .60 | |
| plicata magnifica | 1 | to 1½ | ft. | .60 | |
| | 8 | to 10 | in. | .50 | |
| plicata magnifica aurea | 1 | to 1½ | ft. | .75 | .60 |
| | 8 | to 10 | in. | .60 | |
| plicata pyramidalis | 1 | to 1½ | ft. | .60 | |
| | 8 | to 12 | in. | .50 | |
| Rosedale | 1½ | to 2 | ft. | 1.25 | |
| | 1 | to 1½ | ft. | 1.00 | |
| | 6 | to 10 | in. | .60 | .50 |
| | 4 | to 6 | in. | .40 | .35 |

BROAD LEAVED EVERGREENS

(All plants in this division are "balled" unless otherwise specified.)

| | | | | Less than 50 @ | | 50 or more @ | |
|-----------------------------------|--------------------|-------|-----|----------------|--|--------------|--|
| ABELIA grandiflora | 5 | to 6 | ft. | 2.00 | | | |
| | 4 | to 5 | ft. | 1.60 | | 1.50 | |
| | 3 | to 4 | ft. | 1.25 | | | |
| | 8 | to 12 | in. | .35 | | .30 | |
| triflora | 6 | to 7 | ft. | 1.50 | | | |
| ACACIA cyclops | 3 in. pot. 4 | to 6 | in. | .15 | | .12 | |
| dealbata | 3 in. pot. 6 | to 10 | in. | .15 | | .12 | |
| | 3 in. pot. 4 | to 6 | in. | .12 | | .10 | |
| decurrens | 5 in. pot. 3 | to 4 | ft. | .30 | | .25 | |
| | 5 in. pot. 2 | to 3 | ft. | .25 | | | |
| farnesiana | 4 in. pot. 6 | to 10 | in. | .35 | | | |
| latifolia (longifolia) | 5 in. pot. 6 | to 8 | ft. | .50 | | .40 | |
| | 4 and 5 in. pot. 4 | to 6 | ft. | .40 | | .35 | |
| | 4 in. pot. 3 | to 4 | ft. | .35 | | .30 | |
| melanoxyton, | 4 and 5 in. pot. 4 | to 6 | ft. | .40 | | .35 | |
| BLACK ACACIA. | 4 in. pot. 3 | to 4 | ft. | .35 | | .30 | |
| | 3 in. pot. 6 | to 10 | in. | .15 | | .12 | |
| | 3 in. pot. 4 | to 6 | in. | .12 | | .10 | |
| neriifolia (floribunda) | 5 and 6 in. pot. 8 | to 10 | ft. | .60 | | .50 | |
| | 5 in. pot. 6 | to 8 | ft. | .50 | | .40 | |
| | 5 in. pot. 4 | to 6 | ft. | .40 | | .35 | |
| | 3 in. pot. 10 | to 12 | in. | .15 | | .12 | |
| | 3 in. pot. 8 | to 10 | in. | .12 | | .10 | |
| obliqua | 2½ in. pot. 3 | to 4 | in. | .12 | | .10 | |
| saligna | 3 in. pot. 8 | to 10 | in. | .15 | | .12 | |
| | 3 in. pot. 4 | to 6 | in. | .12 | | .10 | |
| ALECTRYON excelsum | 5 and 6 in. pot. 2 | to 2½ | ft. | .75 | | | |
| NEW ZEALAND OAK | 5 and 6 in. pot. 1 | to 1½ | ft. | .60 | | | |
| ARBUTUS menziesi, MADRONE | 4 in. pot. 6 | to 8 | in. | .40 | | | |
| | 4 in. pot. 4 | to 6 | in. | .35 | | | |
| unedo, STRAWBERRY TREE | 5 | to 6 | ft. | 2.50 | | | |
| | 4 | to 5 | ft. | 2.00 | | | |
| | 3 | to 4 | ft. | 1.50 | | | |
| | 2 | to 3 | ft. | 1.25 | | | |
| | 6 in. pot. 1½ | to 2 | ft. | .50 | | | |
| ARCTOSTAPHYLOS uva-ursi | 4 in. pot. 1 | to 1½ | ft. | .40 | | .35 | |
| CREEPING MANZANITA. | | | | | | | |
| AUCUBA japonica | 1½ | to 2 | ft. | .75 | | | |
| BERBERIS darwini, DARWIN BARBERRY | 2 | to 2½ | ft. | 1.00 | | .85 | |
| | 1½ | to 2 | ft. | .75 | | .60 | |
| | 1 | to 1½ | ft. | .50 | | .40 | |
| knighti | 2 | to 2½ | ft. | 1.00 | | | |
| stenophylla | 5 in. pot. 1 | to 1½ | ft. | .50 | | | |
| BUDDLEIA davidi veitchiana | 3 | to 4 | ft. | 1.00 | | .85 | |
| VEITCH'S BUTTERFLY BUSH | 5 in. pot. 3 | to 4 | ft. | .60 | | .50 | |
| | 5 in. pot. 2 | to 3 | ft. | .40 | | | |
| | 4 in. pot. 10 | to 12 | in. | .25 | | .20 | |
| lindleyana | 4 in. pot. 6 | to 8 | in. | .25 | | | |
| CAESALPINIA mexicana, | 2½ in. pot. 6 | to 8 | in. | .35 | | | |
| POINCIANA. | | | | | | | |
| CALLISTEMON rigidus, | 4 in. pot. 2 | to 2½ | ft. | .35 | | .30 | |
| BOTTLE BRUSH. | flats. 2 | to 2½ | ft. | .15 | | .12 | |
| CAMELLIA sasanqua | 2½ | to 3 | ft. | 1.50 | | | |
| CARPENTERIA californica | gal. cans. 2 | to 2½ | ft. | .75 | | | |
| | gal. cans. 1 | to 1½ | ft. | .50 | | | |
| CASUARINA stricta | 3 in. pot. 8 | to 10 | in. | .15 | | .12 | |
| BEEFWOOD, SHE OAK. | 3 in. pot. 4 | to 6 | ft. | .12 | | .10 | |

| | | | | Less than 50 @ | 50 or more @ |
|---------------------------------|---------------|----|-------|-------------------|-----------------|
| CEANOTHUS arboreus | 6 in. pot... | 3 | to 4 | ft. | .75 |
| | 5 in. pot... | 2 | to 3 | ft. | .60 |
| arboreus hybridus | 4 in. pot... | 1½ | to 2 | ft. | .50 |
| divaricatus | 4 in. pot... | 6 | to 10 | in. | .25 |
| | 3 in. pot... | 4 | to 6 | in. | .20 |
| prostratus | 4 in. pot... | 4 | to 6 | in. | .25 |
| | 3 in. pot... | 3 | to 4 | in. | .20 |
| spinosus | 4 in. pot... | 1½ | to 2 | ft. | .35 |
| | 4 in. pot... | 1 | to 1½ | ft. | .30 |
| thyrsiflorus | 2½ in. pot... | 4 | to 6 | in. | .15 |
| Dark Lavender (hybrid) | 4 in. pot... | 6 | to 10 | in. | .35 |
| Marie Simon (hybrid) | 4 in. pot... | | 6 | in. | .35 |
| CERATONIA siliqua | 5 in. pot... | 4 | to 5 | ft. | .60 |
| CAROB, ST. JOHN'S BREAD. | 5 in. pot... | 3 | to 4 | ft. | .50 |
| | 5 in. pot... | 2 | to 3 | ft. | .40 |
| | 5 in. pot... | 1½ | to 2 | ft. | .30 |
| | 5 in. pot... | 1 | to 1½ | ft. | .25 |
| | 5 in. pot... | 10 | to 12 | in. | .20 |
| CHOISYA ternata, MEXICAN ORANGE | | 2 | to 2½ | ft. | .75 |
| | | 1½ | to 2 | ft. | .60 |
| | | 1 | to 1½ | ft. | .50 |
| CINNAMOMUM camphora, CAMPHOR. | 6 in. pot... | 1½ | to 2 | ft. | .35 |
| CISTUS ladaniferus maculatus | | 2 | to 2½ | ft. | .75 |
| SPOTTED ROCK ROSE. | | 1½ | to 2 | ft. | .60 |
| | 5 in. pot... | 1 | to 1½ | ft. | .30 |
| COPROSMA baueri | 5 in. pot... | 3 | to 4 | ft. | .40 |
| | 5 in. pot... | 2 | to 3 | ft. | .35 |
| | 4 in. pot... | 1 | to 1½ | ft. | .20 |
| | 4 in. pot... | 6 | to 10 | in. | .15 |
| | 3 in. pot... | 4 | to 6 | in. | .12 |
| CORNUS capitata, | 14 in. box... | 6 | to 8 | ft. | 2.50 |
| EVERGREEN DOGWOOD. | 14 in. box... | 5 | to 6 | ft. | 2.00 |
| CORONILLA glauca | 4 in. pot... | 1 | to 1½ | ft. | .35 |
| | 4 in. pot... | 4 | to 6 | ft. | .15 |

COTONEASTER—

Nearly all our Cotoneasters are grown from cuttings instead of seed. This makes them more compact and causes them to bear berries much younger.

| | | | | | | | |
|------------------------------------|---------------|----------------|-------|------|------|------|------|
| them to bear berries much younger. | | | | | | | |
| applanata | | 2½ | to 3 | ft. | 1.00 | | |
| | | 2 | to 2½ | ft. | .75 | | |
| | | 10 | to 12 | in. | .50 | | |
| | 3 in. pot.... | 4 | to 6 | in. | .30 | | |
| francheti | | 5 | to 6 | ft. | 1.60 | 1.50 | |
| | | 4 | to 5 | ft. | 1.50 | 1.25 | |
| | | 3 | to 4 | ft. | 1.00 | .90 | |
| | | 2½ | to 3 | ft. | .75 | .60 | |
| | | 1½ | to 2 | ft. | .40 | .35 | |
| | | 1 | to 1½ | ft. | .30 | | |
| | 5 in. pot.... | 2 | to 3 | ft. | .40 | .35 | |
| | 5 in. pot.... | 1½ | to 2 | ft. | .30 | .25 | |
| frigida | | bare roots.... | 6 | to 8 | ft. | 1.25 | 1.00 |
| | | bare roots.... | 3 | to 4 | ft. | .50 | .40 |
| | | bare roots.... | 2½ | to 3 | ft. | .40 | .35 |
| | | 5 in. pot.... | 4 | to 6 | ft. | .50 | .40 |
| horizontalis | | 2 | to 2½ | ft. | 1.25 | 1.00 | |
| | | 1½ | to 2 | ft. | .75 | .65 | |
| | | 1 | to 1½ | ft. | .50 | .40 | |
| | 5 in. pot.... | 1½ | to 2 | ft. | .60 | .50 | |
| | 5 in. pot.... | 1 | to 1½ | ft. | .50 | .40 | |
| | 4 in. pot.... | 1 | to 1½ | ft. | .40 | .35 | |

COTONEASTER—Continued.

| | | | | | Less than 50 @ | 50 or more @ |
|-----------------------------------|------------|----|-----|--------------|-------------------|-----------------|
| microphylla | 1½ | to | 2 | ft. | .75 | .65 |
| | 1 | to | 1½ | ft. | .50 | |
| | 5 in. pot. | 1½ | to | 2 | ft. | .50 |
| | 5 in. pot. | 1 | to | 1½ | ft. | .35 |
| Standards | 4 in. pot. | 1 | ft. | stem 2yr hds | .75 | .30 |
| microphylla thymifolia | 4 in. pot. | 6 | to | 8 | in. | .35 |
| pannosa | 7 | to | 8 | ft. | 3.50 | |
| | 4 | to | 6 | ft. | 1.50 | |
| | 3 | to | 4 | ft. | 1.00 | |
| | 1 | to | 1½ | ft. | .40 | .35 |
| schneideri | 2 | to | 2½ | ft. | 1.00 | |
| simonsi ("acuminata") | 5 | to | 6 | ft. | 1.75 | 1.50 |
| | 4 | to | 5 | ft. | 1.25 | 1.00 |
| | 3 | to | 4 | ft. | 1.00 | .85 |
| | 16 in. box | 6 | to | 8 | ft. | 2.50 |
| | 6 in. pot. | 3½ | to | 4 | ft. | .60 |
| | 6 in. pot. | 2½ | to | 3 | ft. | .50 |
| | 6 in. pot. | 2 | to | 2½ | ft. | .40 |
| CYTISUS canariensis | 4 in. pot. | 2 | to | 3 | ft. | .35 |
| | 3 in. pot. | 1 | to | 1½ | ft. | .25 |
| racemosus (sdlgs) | 4 in. pot. | 1 | to | 1½ | ft. | .25 |
| | 3 in. pot. | 10 | to | 12 | in. | .20 |
| | 3 in. pot. | 6 | to | 8 | in. | .15 |
| DAUBENTONIA punicea | 3 in. pot. | 6 | to | 10 | in. | .30 |
| | 3 in. pot. | 4 | to | 6 | in. | .25 |
| DIOSMA ericoides, | 5 in. pot. | 1½ | to | 2 | ft. | .50 |
| BREATH OF HEAVEN. | 5 in. pot. | 1 | to | 1½ | ft. | .40 |
| | 4 in. pot. | | | 1½ | ft. | .35 |
| DODONAEA cuneata | 5 in. pot. | 3 | to | 4 | ft. | .50 |
| | 5 in. pot. | 1½ | to | 2 | ft. | .25 |
| viscosa | 5 in. pot. | 1 | to | 1½ | ft. | .25 |
| ESCALLONIA montevidensis | 5 | to | 6 | ft. | 1.75 | |
| | 4 | to | 5 | ft. | 1.50 | |
| | 3 | to | 4 | ft. | 1.00 | |
| | 2½ | to | 3 | ft. | .85 | .75 |
| | 5 in. pot. | 2 | to | 3 | ft. | .50 |
| | 4 in. pot. | 1½ | to | 2 | ft. | .40 |
| rubra | 1½ | to | 2 | ft. | .60 | .50 |
| | 1 | to | 1½ | ft. | .50 | .40 |
| | 5 in. pot. | 2 | to | 2½ | ft. | .60 |
| | 5 in. pot. | 1½ | to | 2 | ft. | .50 |
| | 5 in. pot. | 1 | to | 1½ | ft. | .40 |
| EUCALYPTUS erythronema (red flg.) | 2 in. pot. | 3 | to | 4 | in. | .20 |
| leucoxydon rosea | 2 in. pot. | 4 | to | 6 | in. | .20 |
| viminalis | 5 in. pot. | 4 | to | 5 | ft. | .40 |
| EUGENIA hookeriana | 6 in. pot. | | | 1 | ft. | .50 |
| EUONYMUS jap. aureo-marginatus | 5 in. pot. | | | 1 | ft. | .35 |
| japonicus microphyllus | 3 in. pot. | 10 | to | 12 | in. | .30 |
| kewensis (trailing) | 3 in. pot. | | | 4 | in. | .35 |
| radicans acutus (trailing) | 2 in. pot. | 6 | to | 8 | in. | .35 |
| FEIJOA sellowiana | 5 in. pot. | 4 | to | 5 | ft. | 1.00 |
| | 5 in. pot. | 3 | to | 4 | ft. | .75 |
| GREVILLEA robusta, SILVER OAK | 5 in. pot. | 4 | to | 6 | ft. | .50 |
| | 5 in. pot. | 3 | to | 4 | ft. | .35 |
| | 3 in. pot. | 4 | to | 6 | in. | .12 |
| HAKEA elliptica | 3 in. pot. | 2 | to | 4 | in. | .12 |
| saligna | 3 in. pot. | 2 | to | 4 | in. | .12 |
| suaveolens | 3 in. pot. | 4 | to | 6 | in. | .12 |
| HYPERICUM canariensis | 7 in. pot. | 4 | to | 5 | ft. | .75 |
| moserianum | | 1 | to | 1½ | ft. | .50 |
| | 4 in. pot. | 10 | to | 12 | in. | .25 |
| | 3 in. pot. | 4 | to | 6 | in. | .12 |

| | | | | Less than 50 @ | 50 or more @ |
|---|---------------|--------------|-----------|----------------|--------------|
| ILEX aquifolium | 6 | to 6½ ft. | | 10.00 | |
| ENGLISH HOLLY—Self Fertile Type | 5 | to 6 ft. | | 7.00 | 6.00 |
| These Hollies are not berried on account of the vigorous growth they have made in the favoring Eureka climate. They are however self fertile and can be depended upon to bear even without the presence of seedling plants for pollination. It is all grafted stock; we do not offer seedling Hollies as they cannot be counted on to bear berries. | 4½ | to 5 ft. | | 5.00 | 4.50 |
| | 4 | to 4½ ft. | | 4.00 | 3.75 |
| | 3½ | to 4 ft. | | 3.00 | 2.75 |
| | 3 | to 3½ ft. | | 2.25 | 2.10 |
| | 2½ | to 3 ft. | | 1.85 | 1.75 |
| | 2 | to 2½ ft. | | 1.50 | 1.40 |
| | 1½ | to 2 ft. | | 1.25 | 1.15 |
| aquifolium Van Tol | 2½ | to 3 ft. | | 2.00 | |
| A variety with very dark green, prickly leaves. | 2 | to 2½ ft. | | 1.60 | |
| aquifolium varieties, assorted | 1½ | to 2 ft. | | 1.50 | |
| Includes a few variegated and other rare forms. Stock limited. | | | | | |
| ILEX vomitoria | 2 | to 2½ ft. | | .75 | |
| | 1 | to 1½ ft. | | .40 | |
| | 4 in. pot... | 1½ | to 2 ft. | .40 | |
| LEONOTIS leonurus, LION'S TAIL | 4 in. pot... | 2 | to 2½ ft. | .50 | |
| | 4 in. pot... | 1½ | to 2 ft. | .40 | |
| | 3 in. pot... | 6 | to 8 in. | .25 | |
| KALMIA latifolia, CALICO CUSH | 8 in. pot... | 1 | to 1½ ft. | 1.50 | |
| LEPTOSPERMUM chapmani (sdlgs) | 5 in. pot... | 3 | to 4 ft. | .75 | |
| | 5 in. pot... | 2 | to 3 ft. | .60 | |
| laevigatum | 4 in. pot... | 3 | to 4 ft. | .40 | .30 |
| | 2½ in. pot... | 3 | to 4 in. | .12 | .10 |
| lanigerum | 4 in. pot... | 1 | to 1½ ft. | .40 | |
| nicholsi (red flowered) | 3 | to 4 ft. | | 1.50 | 1.25 |
| Bears a profusion of deep claret colored flowers giving an effect entirely distinct from any other shrub grown in this climate. | 2½ | to 3 ft. | | 1.25 | 1.00 |
| | 2 | to 2½ ft. | | 1.00 | .85 |
| | 1½ | to 2 ft. | | .75 | .65 |
| | 6 in. pot... | 3½ | to 4 ft. | 1.00 | .85 |
| | 6 in. pot... | 3 | to 3½ ft. | .85 | .75 |
| | 6 in. pot... | 2½ | to 3 ft. | .75 | .70 |
| | 5 in. pot... | 2 | to 2½ ft. | .60 | .50 |
| LEUCADENDRON argenteum, | 4 in. pot... | 8 | to 12 in. | .60 | |
| SILVER TREE. | | | | | |
| LEUCOTHOE catesbaei | 2½ | to 3 ft. | | 1.75 | |
| LILY OF THE VALLEY SHRUB. | 2 | to 2½ ft. | | 1.50 | |
| | 1½ | to 2 ft. | | 1.25 | |
| | 8 in. pot... | 1 | to 1½ ft. | 1.00 | |
| LIGUSTRUM coriaceum | 1 | to 1½ ft. | | .50 | |
| | 8 | to 12 in. | | .40 | |
| Golden, GOLDEN PRIVET | 3 in. pot... | 3 | to 4 ft. | .35 | .30 |
| | 3 in. pot... | 6 | to 8 in. | .15 | .12 |
| japonicum, JAPANESE PRIVET | 6 | to 7 ft. | | 1.25 | |
| | 4 | to 5 ft. | | .75 | |
| | 2 | to 3 ft. | | .50 | |
| | 1½ | to 2 ft. | | .40 | |
| ovalifolium, CALIFORNIA PRIVET— | | | | | |
| bare roots—heavy.... | 4 | to 6 ft. | | .50 | .40 |
| bare roots—heavy.... | 3 | to 4 ft. | | .40 | .30 |
| bare roots—heavy.... | 2 | to 3 ft. | | .25 | .20 |
| bare roots—heavy.... | 1½ | to 2 ft. | | .20 | |
| bare roots—light.... | 3 | to 4 ft. | | .15 | .12 |
| | 2 | to 3 ft. | | .12 | .10 |
| LONICERA nitida | bushy.... | 4 | to 5 ft. | 1.25 | |
| BOX-LEAVED HONEYSUCKLE. | 3 | to 4 ft. | | .85 | .75 |
| | 2 | to 3 ft. | | .60 | .50 |
| Pyramids | 1½ | to 2 ft. | | 1.00 | .85 |
| Standards | 14 | to 16 in.hds | | 1.00 | |

LYONOTHAMNUS floribundus asplenifolius

Less than 50 or
50 @ more @

| | | | | | | | |
|---------------------------------|-------------------------|----|----|----|-----|------|-----|
| MAGNOLIA grandiflora | gal. cans... | 3½ | to | 4 | ft. | 1.00 | |
| | | 3 | to | 4 | ft. | 1.25 | |
| | | 2½ | to | 3 | ft. | 1.00 | |
| grandiflora superba | | 2 | to | 2½ | ft. | .75 | |
| | | 2½ | to | 3 | ft. | 1.25 | |
| | | 2 | to | 2½ | ft. | 1.00 | |
| MAHONIA aquifolium, | bare roots... | 1½ | to | 2 | ft. | .30 | .25 |
| OREGON GRAPE. | bare roots... | 1 | to | 1½ | ft. | .25 | .20 |
| | 4 in. pot... | 1 | to | 1½ | ft. | .40 | .35 |
| | 4 in. pot... | 10 | to | 12 | in. | .35 | .30 |
| japonica | | 2 | to | 2½ | ft. | 1.00 | |
| | | 1½ | to | 2 | ft. | .75 | .70 |
| | | 1 | to | 1½ | ft. | .60 | |
| MELALEUCA ericifolia | 6 in. pot... | 3½ | to | 4 | ft. | .40 | .35 |
| | 2 in. pot... | 4 | to | 6 | in. | .12 | .10 |
| hypericifolia | 2 in. pot... | 4 | to | 6 | in. | .12 | .10 |
| nesophila | 2½ in. pot... | 4 | to | 6 | in. | .12 | .10 |
| MENZIESIA prolifera alba | 4 in. pot... | 6 | to | 10 | in. | .50 | |
| MYRTUS communis, ENGLISH MYRTLE | | 3 | to | 4 | ft. | 1.00 | |
| | | 2 | to | 3 | ft. | .75 | .60 |
| | | 1½ | to | 2 | ft. | .50 | .45 |
| | | 1 | to | 1½ | ft. | .40 | .35 |
| | 5 in. pot... | 2 | to | 2½ | ft. | .50 | .40 |
| | 5 in. pot... | 1½ | to | 2 | ft. | .40 | .35 |
| communis microphylla | | 12 | to | 15 | in. | .50 | .40 |
| SMALL LEAVED MYRTLE. | | 10 | to | 12 | in. | .40 | .35 |
| | 5 in. pot... | 1½ | to | 2 | ft. | .50 | .40 |
| | 5 in. pot... | 1 | to | 1½ | ft. | .40 | .35 |
| communis variegata | 5 in. pot... | 1 | to | 1½ | ft. | .40 | .35 |
| | 5 in. pot... | 8 | to | 12 | in. | .35 | |
| luma (Eugenia apiculata) | | 2½ | to | 3 | ft. | .75 | .60 |
| BLACK LEAVED MYRTLE. | | 2 | to | 2½ | ft. | .60 | .50 |
| | | 1½ | to | 2 | ft. | .50 | .40 |
| | | 1 | to | 1½ | ft. | .40 | .35 |
| | 4 in. pot... | 1 | to | 1½ | ft. | .35 | .30 |
| ugni | 4 in. pot... | 6 | to | 8 | in. | .35 | |
| NANDINA domestica | | 8 | to | 12 | in. | .60 | |
| | | 6 | to | 8 | in. | .50 | |
| | | 4 | to | 6 | in. | .35 | |
| | 2 in. pot... | | | 6 | in. | .25 | |
| OSMANTHUS aquifolium | | 1 | to | 1½ | ft. | .60 | |
| fragrans, SWEET OLIVE | | 1½ | to | 2 | ft. | .75 | |
| PARKINSONIA aculeata | 3 in. pot... | 4 | to | 6 | in. | .20 | |
| PHILLYREA decora | | 1 | to | 1½ | ft. | .75 | |
| PHOTINIA arbutifolia | 5 in. pot... | 3 | to | 3½ | ft. | .75 | |
| TOYON, CHRISTMAS BERRY. | 5 in. pot... | 2½ | to | 3 | ft. | .60 | |
| CALIFORNIA HOLLY. | 5 in. pot... | 2 | to | 2½ | ft. | .50 | |
| | 5 in. pot... | 1½ | to | 2 | ft. | .40 | |
| | 5 in. pot... | 1 | to | 1½ | ft. | .30 | |
| | 4 in. pot... | 8 | to | 12 | in. | .25 | |
| | 4 in. pot... | 6 | to | 8 | in. | .20 | |
| | 4 in. pot... | 4 | to | 6 | in. | .15 | |
| | 4 in. pot... | 3 | to | 4 | in. | .12 | |
| | grafted... 4 in. pot... | 1 | to | 1½ | ft. | .50 | |
| PITTOSPORUM eugenioides | | 1½ | to | 2 | ft. | .50 | |
| | | 1 | to | 1½ | ft. | .40 | |
| tenuifolium | | 1 | to | 1½ | ft. | .40 | |
| | 4 in. pot... | 1½ | to | 2 | ft. | .35 | .30 |
| | 2 in. pot... | 4 | to | 6 | in. | .12 | .10 |

PITTOSPORUM—Continued.

| | | | Less than 50 or 50 @ more @ | |
|--|--------------------------|-------------|--------------------------------|-----|
| tobira | 3 and 4 in. pot.... | 6 to 8 in. | .20 | .15 |
| | 3 in. pot.... | 2 to 3 in. | .12 | .10 |
| | flats.... | 4 in. | | .05 |
| tobira variegatum | 6 to 10 in. | | .50 | .40 |
| undulatum | (cut back) 5 in. pot.... | 1 ft. | .30 | .25 |
| | 4 in. pot.... | 4 to 6 in. | .12 | .10 |
| PRUNUS caroliniana | 3 in. pot.... | 4 in. | .12 | .10 |
| ilicifolia, ISLAY— | 5 in. pot.... | 1 to 1½ ft. | .30 | |
| CALIFORNIA CHERRY. | 3 in. pot.... | 4 to 6 in. | .20 | .18 |
| lyoni, CATALINA CHERRY .. | 6 in. pot.... | 2 to 2½ ft. | .50 | .40 |
| | 6 in. pot.... | 1½ to 2 ft. | .40 | .35 |
| | 4 in. pot.... | 6 to 10 in. | .25 | .20 |
| PSIDIUM cattleianum | 5 in. pot.... | 1 to 1½ ft. | .40 | .35 |
| STRAWBERRY GUAVA. | | | | |
| PYRACANTHA—EVERGREEN HAWTHORN— | | | | |
| All our Pyracanthas are now being grown from cuttings, which makes them uniform in type and more compact. This also causes them to bear much younger. | | | | |
| angustifolia | 2 to 2½ ft. | | .75 | |
| | 1½ to 2 ft. | | .60 | .50 |
| | 1 to 1½ ft. | | .50 | .40 |
| | 5 in. pot.... | 4 to 4½ ft. | .60 | .50 |
| | 4 in. pot.... | 3 to 4 ft. | .50 | .40 |
| | 5 in. pot.... | 2½ to 3 ft. | .40 | .30 |
| | 3 in. pot.... | 1½ to 2 ft. | .30 | |
| coccinea lalandi | 5 in. pot.... | 1½ to 2 ft. | .50 | .40 |
| | 4 and 5 in. pot.... | 1 to 1½ ft. | .40 | .30 |
| crenulata | 3 to 4 ft. | | 1.25 | |
| | 2½ to 3 ft. | | 1.00 | |
| | 2 to 2½ ft. | | .75 | .65 |
| | 1½ to 2 ft. | | .60 | .50 |
| | 1 to 1½ ft. | | .50 | .40 |
| | 5 in. pot.... | 1½ to 2 ft. | .60 | .50 |
| | 5 in. pot.... | 1 to 1½ ft. | .40 | .35 |
| RAPHIOLEPIS indica | 6 in. pot.... | 1½ to 2 ft. | .75 | |
| ovata | 1½ to 2 ft. | | .75 | |
| | 1 to 1½ ft. | | .60 | .50 |
| | 8 to 12 in. | | .50 | .40 |
| | 6 in. pot.... | 2 to 2½ ft. | .75 | .65 |
| | 6 in. pot.... | 1½ to 2 ft. | .60 | .50 |
| RHAMNUS californica, WILD COFFEE. | 4 in. pot.... | 1 to 2 ft. | .30 | |
| | 3 in. pot.... | 4 to 6 in. | .15 | .12 |
| SCHINUS molle, PEPPER TREE | 4 in. pot.... | 2½ to 3 ft. | .30 | .25 |
| | 4 in. pot.... | 2 to 2½ ft. | .25 | .20 |
| | 4 in. pot.... | 1½ to 2 ft. | .20 | .15 |
| SPARTIUM junceum, | 4 in. pot.... | 3 to 3½ ft. | .35 | .30 |
| SPANISH BROOM. | 4 in. pot.... | 2 to 3 ft. | .30 | .25 |
| | 4 in. pot.... | 1½ to 2 ft. | .25 | .20 |
| | 4 in. pot.... | 1 to 1½ ft. | .20 | .15 |
| | 3 in. pot.... | 1½ to 2 ft. | .20 | .15 |
| | 3 in. pot.... | 1 to 1½ ft. | .15 | .12 |
| STERCULIA diversifolia | 5 in. pot.... | 4 to 5 ft. | .60 | |
| BOTTLE TREE. | 5 in. pot.... | 2 to 3 ft. | .40 | |
| STRANVAESIA undulata | 4 in. pot.... | 1 to 1½ ft. | .50 | |
| THEA sinensis bohea, TEA PLANT. | 4 in. pot.... | 6 to 10 in. | .35 | |
| TRISTANIA conferta | 6 in. pot.... | 2 to 3 ft. | .75 | |
| UMBELLULARIA californica | 3 in. pot.... | 4 to 6 in. | .20 | |
| WILD LAUREL. | | | | |

| | | | Less than 50 or 50 @ more @ | |
|----------------------------------|----------------|-------|--------------------------------|------|
| VERONICA andersoni | 3 | to 4 | ft. | .50 |
| | 2 | to 3 | ft. | .40 |
| angustifolia 4 in. pot.... | 1½ | to 2 | ft. | .20 |
| | 2 | to 3 | ft. | .50 |
| barkeri 4 in. pot.... | 1 | to 1½ | ft. | .35 |
| buxifolia 1½ | to 2 | ft. | 1.00 | .40 |
| | 1 | to 1½ | ft. | .75 |
| | 8 | to 12 | in. | .60 |
| chathamica 6 | to 8 | in. | .50 | .50 |
| | 1½ | to 2 | ft. | .75 |
| cupressoides 1 | to 1½ | ft. | .60 | |
| | 1½ | to 2 | ft. | 1.00 |
| | 1 | to 1½ | ft. | .75 |
| | 6 | to 8 | in. | .40 |
| | 8 in. pot.... | 1 | to 1½ | ft. |
| | 6 in. pot.... | 10 | to 12 | in. |
| decumbens 10 | to 12 | in. | .35 | .30 |
| | 4 in. pot.... | 1 | to 1½ | ft. |
| decussata 2 | to 2½ | ft. | .50 | |
| | 1½ | to 2 | ft. | .40 |
| 4 in. pot.... | 2 | to 2½ | ft. | .30 |
| glaucophylla 1½ | to 2 | ft. | .50 | .40 |
| | 1 | to 1½ | ft. | .40 |
| | 10 | to 12 | in. | .30 |
| | 4 in. pot.... | 1½ | to 2 | ft. |
| hulkeana 6 | to 8 | in. | .35 | |
| | 4 in. pot.... | 4 | to 6 | in. |
| | 4 in. pot.... | 2½ | to 3 | ft. |
| imperialis 2½ | to 3½ | ft. | .12 | .25 |
| | flats.... | 3 | to 2½ | ft. |
| lewisii 2 | to 2½ | ft. | .50 | .40 |
| menziesii 1 | to 1½ | ft. | .40 | |
| | 6 | to 8 | in. | .30 |
| 4 in. pot.... | 1 | to 1½ | ft. | .20 |
| pimelioides 1 | to 1½ | ft. | .60 | .50 |
| | 8 | to 12 | in. | .50 |
| | 6 | to 8 | in. | .40 |
| 4 in. pot.... | 1 | to 1½ | ft. | .35 |
| pinguifolia 1 | to 1½ | ft. | .60 | |
| | 8 | to 12 | in. | .50 |
| | 6 | to 8 | in. | .40 |
| salicifolia 4 in. pot.... | 2½ | to 3 | ft. | .25 |
| speciosa variegata 2 | to 3 | ft. | .50 | .40 |
| traversi 1½ | to 2 | ft. | .40 | |
| | 8 | to 10 | in. | .30 |
| | 6 | to 8 | in. | .40 |
| 4 in. pot.... | 1 | to 1½ | ft. | .25 |
| traversi No. 2 2 | to 3 | ft. | .50 | .20 |
| | 1 | to 1½ | ft. | .35 |
| VIBURNUM odoratissimum 2 | to 3 | ft. | 1.00 | |
| rhytidophyllum 2 | to 3 | ft. | 1.25 | |
| | 10 in. pot.... | 4 | to 6 | ft. |
| | 10 in. pot.... | 3 | to 4 | ft. |

FLOWERING FRUIT TREES

(All plants in this division are dug "bare roots" unless otherwise specified.)

ALMOND—Flowering—

Less than 50 @ 50 or more @

Prunus glandulosa. Dwarf Dbl. Pink.....3 to 4 ft. .50

APPLE Flowering—

Malus ioensis fl. pl.4 to 5 ft. 1.00

BECHTEL'S DOUBLE FLOWERING CRAB 3 to 4 ft. .75

2 to 2½ ft. .50 .40

1½ to 2 ft. .40 .30

Assorted Varieties6 to 8 ft. 1.00

4 to 6 ft. .75

3 to 4 ft. .50

2 to 3 ft. .40

Arnoldiana

Atrosanguinea

Coronaria

Floribunda

Halliana

Niedzwetzkyana

Parkmanni

Sargenti

Scheideckeri

Sieboldi arborescens

Sieboldi calocarpa

APRICOT—Flowering—

Prunus mume4 to 6 ft. .75

3 to 4 ft. .50

U. S. D. A. 41455 (white flowered)

U. S. D. A. 45176 (rose flowered)

CHERRY—Flowering—

Prunus serrulata4 to 6 ft. .75

Flowers single, flesh, becoming 3 to 4 ft. .50

white. 2 to 3 ft. .40

Dbl. White4 to 6 ft. .75

3 to 4 ft. .60

Sgl. Pink8 in. pot....3 to 4 ft. .75

Assorted Varieties2 to 3 ft. .50

Mainly Double Flowered. 1½ to 2 ft. .40

1 to 1½ ft. .35

PEACH—Flowering—

Dbl. Shell Pink6 to 8 ft. 1.00

4 to 6 ft. .75

3 to 4 ft. .60

PLUM—Flowering—

Amygdalus triloba, Dbl. Flg. Plum3 to 4 ft. .75

2 to 3 ft. .60

Prunus blirieana6 to 8 ft. 1.25

moseri 3 to 4 ft. .75

The two preceding varieties have pur- 2 to 3 ft. .60

ple foliage like *P. pissardi* but with beautiful double pink flowers.

DECIDUOUS TREES

(All plants in this division are dug "bare roots" unless otherwise specified.)

| | | | Less than 50 @ | 50 or more @ |
|---|----------------|------------|-------------------|-----------------|
| ACER ginnala | 4 | to 6 ft. | .50 | |
| | 3 | to 4 ft. | .40 | |
| | 2 | to 3 ft. | .30 | |
| platanoides, NORWAY MAPLE | 4 | to 6 ft. | .35 | |
| | 3 | to 4 ft. | .25 | |
| platanoides schwedleri | 8 | to 10 ft. | .60 | |
| | 6 | to 8 ft. | .50 | |
| saccharum, SUGAR MAPLE | 8 | to 10 ft. | .75 | |
| | 6 | to 8 ft. | .60 | |
| | 4 | to 6 ft. | .40 | |
| AESCULUS hippocastanum, | 6 | to 8 ft. | .75 | |
| WHT. HORSE CHESTNUT. | 4 | to 6 ft. | .60 | |
| BETULA alba, EUROPEAN WHITE BIRCH..... | 12 | to 14 ft. | 1.50 | |
| | 10 | to 12 ft. | 1.00 | |
| | 8 | to 10 ft. | .75 | |
| | 4 | to 6 ft. | .50 | |
| | 3 | to 4 ft. | .35 | |
| alba pendula, CUT LEAVED WPG. BIRCH..... | 6 | to 8 ft. | 1.00 | |
| | 4 | to 6 ft. | .75 | |
| | 3 | to 4 ft. | .50 | |
| alba fastigiata | 12 | to 14 ft. | 1.50 | |
| | 10 | to 12 ft. | 1.25 | |
| | 4 | to 6 ft. | .60 | |
| papyrifera, CANOE BIRCH | 6 | to 8 ft. | .50 | |
| | 4 | to 6 ft. | .40 | |
| populifolia, POPLAR LEAVED BIRCH | 3 | to 4 ft. | .40 | |
| | 2 | to 3 ft. | .30 | |
| CERCIS chinensis, CHINESE JUDAS TREE..... | 3 | to 4 ft. | .75 | |
| occidentalis, CALIFORNIA JUDAS TREE..... | 2 | to 3 ft. | .50 | |
| | 1½ | to 2 ft. | .35 | |
| CRATAEGUS, Dbl Scarlet, | 8 | to 10 ft. | 1.00 | |
| PAUL'S HAWTHORN. | 4 | to 6 ft. | .60 | |
| | 3 | to 4 ft. | .50 | |
| Dbl. White | 8 | to 10 ft. | 1.00 | |
| | 4 | to 6 ft. | .60 | |
| FAGUS sylvatica purpurea, PURPLE BEECH..... | 4 | to 6 ft. | 1.50 | |
| | 2 | to 3 ft. | .75 | |
| | 1½ | to 2 ft. | .60 | |
| | 10 in. pot.... | 6 to 8 ft. | 1.75 | |
| | 10 in. pot.... | 4 to 6 ft. | 1.50 | |
| | 10 in. pot.... | 3 to 4 ft. | 1.25 | |
| sylvatica rubra | 4 | to 6 ft. | 1.50 | |
| | 3 | to 4 ft. | 1.25 | |
| FRAXINUS sp., ASH | 10 | to 12 ft. | .75 | |
| | 8 | to 10 ft. | .60 | |
| | 6 | to 8 ft. | .50 | |
| | 4 | to 6 ft. | .40 | |
| GINKGO biloba, MAIDEN HAIR TREE | 5 | to 6 ft. | 1.00 | |
| | 4 | to 5 ft. | .75 | |
| | 3 | to 4 ft. | .60 | |
| | 2 | to 3 ft. | .50 | |
| | 1½ | to 2 ft. | .40 | |
| | 1 | to 1½ ft. | .30 | |
| LIQUIDAMBAR styraciflua, SWEET GUM..... | 6 | to 7 ft. | 1.25 | |
| | 5 | to 6 ft. | 1.00 | |
| | 4 | to 5 ft. | .75 | |
| | 3 | to 4 ft. | .60 | |
| | | | | .45 |
| | | | | .35 |

| | | | Less than 50 @ | 50 or more @ |
|--|-------------|-----------|-------------------|-----------------|
| PLATANUS occidentalis, | 12 | to 14 ft. | .75 | |
| AMERICAN SYCAMORE. | 10 | to 12 ft. | .60 | .50 |
| | 8 | to 10 ft. | .50 | .40 |
| | 6 | to 8 ft. | .40 | .35 |
| orientalis, EUROPEAN SYCAMORE | 14 | to 16 ft. | 1.50 | 1.25 |
| ORIENTAL PLANE. | 12 | to 14 ft. | 1.25 | 1.00 |
| | 10 | to 12 ft. | 1.00 | .75 |
| | 8 | to 10 ft. | .75 | .60 |
| | 6 | to 8 ft. | .60 | .50 |
| | 4 | to 6 ft. | .50 | .40 |
| | 3 | to 4 ft. | .35 | .25 |
| light for growing on..... | 4 | to 6 ft. | .25 | .20 |
| | 3 | to 4 ft. | .20 | .15 |
| | 2 | to 3 ft. | .15 | .12 |
| | 1½ | to 2 ft. | .12 | .10 |
| | 1 | to 1½ ft. | .10 | .08 |
| POPULUS nigra italica,light..... | 4 | to 6 ft. | .30 | .25 |
| LOMBARDY POPLAR.light..... | 3 | to 4 ft. | .25 | .20 |
| QUERCUS rubra, RED OAK..... | 8 | to 10 ft. | 1.00 | |
| | 6 | to 8 ft. | .75 | |
| | 4 | to 6 ft. | .60 | .50 |
| | 3 | to 4 ft. | .50 | |
| ROBINIA kelseyi | 6 | to 8 ft. | 1.00 | |
| pseudacacia, BLACK LOCUST | diam.....3 | to 4 in. | 2.00 | |
| | diam.....2 | to 3 in. | 1.50 | |
| | diam.....1½ | to 2 in. | 1.00 | |
| | 12 | to 14 in. | .75 | .65 |
| | 10 | to 12 in. | .60 | .50 |
| | 6 | to 8 ft. | .40 | |
| pseudacacia decaisneanadiam..... | 2 | to 3 in. | 2.50 | |
| PINK LOCUST.diam..... | 1½ | to 2 in. | 1.50 | |
| | 12 | to 14 ft. | 1.25 | |
| | 10 | to 12 ft. | 1.00 | .90 |
| SALIX babylonica, COMMON WPG. WILLOW..... | 6 | to 8 ft. | .50 | |
| | 4 | to 6 ft. | .40 | |
| Gold Bark | 6 | to 8 ft. | .50 | |
| | 4 | to 6 ft. | .40 | |
| | 3 | to 4 ft. | .30 | |
| Grey Leaved | 8 | to 10 ft. | .60 | |
| vitellina britzensis | 4 | to 6 ft. | .50 | |
| | 3 | to 4 ft. | .35 | |
| | 2 | to 3 ft. | .25 | |
| SOPHORA sp.7 in. pot..... | 4 | to 4½ ft. | 1.00 | |
| SORBUS aucuparia, MOUNTAIN ASH | 8 | to 10 ft. | .75 | .65 |
| | 6 | to 8 ft. | .60 | .50 |
| | 4 | to 6 ft. | .50 | .40 |
| TAXODIUM distichum, BALD CYPRESS | 6 | to 8 ft. | .75 | |
| | 4 | to 6 ft. | .60 | |
| TILIA americana, AMERICAN LINDEN | 8 | to 10 ft. | .75 | |
| | 6 | to 8 ft. | .60 | |
| | 4 | to 6 ft. | .50 | |
| dasystyla | 8 | to 10 ft. | 1.00 | |
| ULMUS americana, AMERICAN ELM | 10 | to 12 ft. | .75 | |
| | 8 | to 10 ft. | .50 | |
| | 6 | to 8 ft. | .40 | |
| | 4 | to 6 ft. | .35 | .30 |
| | 3 | to 4 ft. | .30 | .25 |
| foliacea dampieri | 12 | to 14 ft. | 1.00 | |
| | 10 | to 12 ft. | .75 | |
| foliacea stricta, CORNISH ELMdiam..... | 3 | to 4 in. | 2.00 | |
| | diam.....2 | to 3 in. | 1.50 | 1.35 |
| | diam.....1½ | to 2 in. | 1.25 | |
| hollandica belgica, (U. latifolia) | 10 | to 12 ft. | 1.00 | |
| BELGIAN ELM. | 8 | to 10 ft. | .75 | |
| | 6 | to 8 ft. | .50 | |

DECIDUOUS SHRUBS

(All plants in this division are dug "bare roots" unless otherwise specified.)

| | | | | | Less than 50 @ | 50 or more @ |
|--|---------------|-------|-----|------|-------------------|-----------------|
| ACER japonicum,8 and 10 in. pot... | 3 | to 4 | ft. | 1.00 | | |
| JAPANESE MAPLE. | | | | | | |
| ARONIA arbutifolia (Pyrus arbutifolia) | 1½ | to 2 | ft. | .30 | | |
| RED CHOKEBERRY. | | | | | | |
| BERBERIS subcauliata | 2 | to 2½ | ft. | .50 | | |
| thunbergi | 1½ | to 2 | ft. | .40 | .35 | |
| | 2 | to 3 | ft. | .30 | .25 | |
| | 1½ | to 2 | ft. | .25 | .20 | |
| | 1 | to 1½ | ft. | .20 | .18 | |
| vulgaris atropurpurea | 3 | to 4 | ft. | .40 | .30 | |
| PURPLE LEAVED BARBERRY. | 2 | to 3 | ft. | .30 | .25 | |
| | 1½ | to 2 | ft. | .25 | .20 | |
| wilsonae,2½ in. pot... | 4 | to 6 | ft. | .15 | | |
| MRS. WILSON'S BARBERRY. | | | | | | |
| CARYOPTERIS incana, BLUE SPIREA | 2 | to 3 | ft. | .35 | .30 | |
| (C. mastacanthus) | 1½ | to 2 | ft. | .25 | .20 | |
| CORNUS florida, FLOWERING DOGWOOD | 2 | to 3 | ft. | .75 | | |
| CORYLUS avellana, FILBERT | 4 | to 6 | ft. | .75 | | |
| CYDONIA japonica umbilicata, | 1 | to 1½ | ft. | .25 | | |
| PINK JAP. QUINCE. | | | | | | |
| DEUTZIA lemoinei | 2 | to 3 | ft. | .35 | | |
| | 1½ | to 2 | ft. | .30 | | |
| 8 in. pot... | | 2 | ft. | .75 | | |
| Pride of Rochester | 3 | to 4 | ft. | .40 | .35 | |
| | 2 | to 3 | ft. | .30 | .25 | |
| rosea | 2 | to 3 | ft. | .50 | | |
| scabra candidissima | 2 | to 3 | ft. | .35 | | |
| | 1½ | to 2 | ft. | .30 | | |
| scabra crenata | 3 | to 4 | ft. | .40 | | |
| | 2 | to 3 | ft. | .35 | | |
| DIERVILLA sessilifolia | 2 | to 3 | ft. | .30 | | |
| EXOCHORDA grandiflora, PEARL BUSH | 5 | to 6 | ft. | .75 | | |
| | 4 | to 5 | ft. | .60 | | |
| | 3 | to 4 | ft. | .40 | | |
| FORSYTHIA intermedia | 4 | to 6 | ft. | .60 | | |
| | 3 | to 4 | ft. | .40 | | |
| | 2 | to 3 | ft. | .30 | | |
| suspensa | 2 | to 3 | ft. | .30 | | |
| suspensa fortunei | 4 | to 6 | ft. | .60 | | |
| | 3 | to 4 | ft. | .40 | | |
| suspensa sieboldi | 3 | to 4 | ft. | .40 | | |
| viridissima | 3 | to 4 | ft. | .50 | | |
| | 2 | to 3 | ft. | .35 | | |
| | 1½ | to 2 | ft. | .30 | | |
| HALESIA tetraptera | 1½ | to 2 | ft. | .35 | | |
| HIBISCUS syriacus, ALTHEA | | | | | | |
| Assorted varieties | 3 | to 4 | ft. | .30 | | |
| | 2 | to 3 | ft. | .20 | | |
| HYDRANGEA arborescens grandiflora | 4 | to 5 | ft. | .60 | .50 | |
| HILLS OF SNOW. | 3 | to 4 | ft. | .50 | .40 | |
| paniculata grandiflora | 3 | to 4 | ft. | .40 | .35 | |
| MAGNOLIA conspicua | 4½ | to 5 | ft. | 3.00 | | |
| | balled...4 | to 4½ | ft. | 2.50 | | |
| | balled...1½ | to 2 | ft. | 1.00 | | |
| soulangeana | 4 in. pot...1 | to 1½ | ft. | .60 | | |
| soulangeana alexandrina | balled...4 | to 4½ | ft. | 2.50 | | |
| soulangeana ambilis | balled...5½ | to 6 | ft. | 4.00 | | |

PHILADELPHUS, MOCK ORANGE, SYRINGA.—

| | | | | | Less than 50 @ | 50 or more @ |
|---|------------|-------|-------|-----|-------------------|-----------------|
| Avalanche | 4 | to 6 | ft. | | .75 | |
| | 3 | to 4 | ft. | | .50 | |
| Bouquet Blanc | 1 | to 1½ | ft. | | .30 | |
| coronarius | 4 | to 6 | ft. | | .60 | |
| | 3 | to 4 | ft. | | .40 | |
| | 2 | to 3 | ft. | | .35 | |
| grandiflorus | 4 | to 5 | ft. | | .60 | |
| | 3 | to 4 | ft. | | .40 | |
| inodorus | 4 | to 5 | ft. | | .60 | |
| | 3 | to 4 | ft. | | .40 | |
| lewisi (gordonianus) | 4 | to 5 | ft. | | .60 | |
| | 3 | to 4 | ft. | | .40 | |
| | 2 | to 3 | ft. | | .35 | |
| PUNICA granatum, POMEGRANATE | | | | | | |
| Dbl. Scarlet and Dbl. White..... | 3 in. pot. | 10 | to 12 | in. | .20 | .15 |
| RHUS typhina, STAG HORN SUMACH | | 10 | to 12 | ft. | .75 | |
| | 6 | to 8 | ft. | | .60 | |
| typhina laciniata | 3 | to 4 | ft. | | .50 | |
| CUT LEAVED STAG HORN SUMACH. | 2 | to 3 | ft. | | .40 | .30 |
| SALIX sp., FRENCH PUSSY WILLOW | 4 | to 6 | ft. | | .50 | |
| | 2 | to 3 | ft. | | .30 | .25 |
| | 1½ | to 2 | ft. | | .25 | .20 |
| SAMBUCUS nigra laciniata | 2 | to 3 | ft. | | .30 | .25 |
| CUT LEAVED EUROPEAN ELDER. | | | | | | |
| SPIREA Anthony Waterer | 2 | to 3 | ft. | | .50 | |
| | 1½ | to 2 | ft. | | .35 | |
| arguta | 2 | to 3 | ft. | | .35 | |
| | 1½ | to 2 | ft. | | .25 | .20 |
| callosa alba | 1 | to 1½ | ft. | | .30 | |
| callosa rubra | 3 | to 4 | ft. | | .40 | |
| cantoniensis | 3 | to 4 | ft. | | .40 | |
| sorbifolia (Sorbaria) | 3 | to 4 | ft. | | .40 | |
| | 2 | to 3 | ft. | | .30 | |
| thunbergi | 1½ | to 2 | ft. | | .35 | |
| | 8 | to 12 | in. | | .25 | |
| vanhouttei | 4 | to 5 | ft. | | .60 | .50 |
| | 3 | to 4 | ft. | | .40 | .35 |
| | 2 | to 3 | ft. | | .35 | |
| | 1½ | to 2 | ft. | | .25 | .20 |
| | 1 | to 1½ | ft. | | .20 | .15 |
| SYMPHORICARPOS racemosus, SNOW BERRY ... | 3 | to 4 | ft. | | .40 | |
| | 2 | to 3 | ft. | | .30 | |
| SYRINGA persica, PERSIAN LILAC | 4 | to 6 | ft. | | .60 | |
| | 3 | to 4 | ft. | | .40 | |
| rothomagensis, ROUEN LILAC | 4 | to 6 | ft. | | .50 | |
| | 3 | to 4 | ft. | | .40 | |
| | 2 | to 3 | ft. | | .40 | |
| vulgaris, COMMON PURPLE LILAC | 3 | to 4 | ft. | | .40 | |
| | 2 | to 3 | ft. | | .30 | |
| | 1½ | to 2 | ft. | | .20 | |
| | 1 | to 1½ | ft. | | .15 | |
| Named Varieties | 2 | to 2½ | ft. | | .50 | |
| | 1½ | to 2 | ft. | | .40 | .35 |
| | 1 | to 1½ | ft. | | .35 | .30 |
| | 8 | to 12 | in. | | .30 | .25 |

DOUBLE

Alphonse Lavalle. Bluish-lilac. Buds open red. Clusters erect.
Chas. Sargent. Violet-mauve blended with sky-blue. Enormous flowers and clusters.

***Boussingault.** A new light blue lilac.

***Condorcet.** Semi-double. Bluish-mauve. Flowers large. Thyrses large.

Dr. Breitschneider. Purplish in bud opening white. Late.

***Dr. Masters.** Rosy-lilac. Thyrses a foot long.

***Dr. Troyanowsky.** Mauve. Enormous panicles, broad rather than long.

- Emile Lemoine. Lilac-rose.
 Etoile de Mai. Reddish-violet with white reverse. Large flowers.
 *Georges Bellair. Buds bright carmine.
 Hippolyte Maringer. Purplish-mauve. Compact flowers. Very free.
 *Jean Bart. Rosy-violet. Buds carmine.
 Jeanne d' Arc. Pure white. Fine large flowers and panicles.
 Lamarck. Rosy-lilac. Very large panicles. Flowers large. Very dbl.
 *La Mauve. Light lavender. Quite attractive.
 *La Tour d' Auvergne. Dark lilac. Good.
 Leon Gambetta. Pink-lilac. Early. Round, regular, imbricated flowers.
 Linne. Lilac-red. Darker reverse. Buds very dbl. Fair sized clusters.
 Marechal de Bassompierre. Rosy-carmine. Very showy.
 *Maximowicz. Violet-heliotrope. Reverse silvery. Flowers enormous.
 Michael Buckner. Bluish-lavender lilac. Buds reddish.
 Mireille. White. Flowers large. Long thyrses. Very fine.
 *Miss Ellen Willmott. Snow white. Elegant spikes. Fine large flowers.
 Mme de Miller. Alabaster-white. Regular. Compact.
 Mme Lemoine. Pure white. One of the best.
 Pres. Grevy. Beautiful shade blue. Very large individual flowers.
 Pres. Viger. Bluish-lilac. Extra fine.
 Rene Jerry-Desloges. Azure-lilac. Enormous thyrses. Large flowers.
 Rosea Grandiflora. Rosy-lilac. Fine panicles. Early.
 Victor Lemoine. Azure-mauve fading paler. Very beautiful. Large fl'rs.
SINGLE
 Beranger. Light lilac. Small-flowered. Good.
 *Christophe Colomb. Light lilac. Buds purple. Very fine and large.
 Colmariensis. Pale blue. Very large flowers. Fine glossy foliage.
 *De Miribel. Dark bluish-violet. Long compact panicles. Very fine.
 Dr. Lindley. Brilliant violet-purple. Buds red. Very beautiful.
 Dr. Von Regel. Lilac-rose. Buds rose. Fine compact clusters.
 *Edmond Boissier. Purplish-lilac. Purple-carmine buds. Flowers large.
 Frau B. Dammann. Pure white. Trusses immense. Flowers medium size.
 Gloire de Lorraine. Dark lilac. Small thyrses. Large. Late.
 Japonica. Creamy-white. Large panicles. Late.
 Josikaea. Purple.
 Lilarosa. Silvery-pink. Very desirable.
 Marie Legraye. Pure white. Fine large flowers and thyrses.
 Mlle. Fernande Viger. Pure white.
 *Negro. Deep violet-purple.
 Nigricans. Lilac. Fine.
 *Othello. Dark, purplish-red. Large, graceful panicles.
 *Perle Von Stuttgart. Pure white. Clusters & fl'rs enormous. Very good.
 Philemon. Showing possibly the darkest shade found in lilacs.
 Princess Alexandra. White. Panicles large. Fine.
 *Toussaint l' Ouverture. Dark purplish-red. Large fl'rs. Long thyrses.
 Vulcan. Purple. Dark red buds. Loose thyrses. Good.

We believe the above list comprises the finest assortment of Lilacs offered in this country. Many are the latest and choicest sorts. All stock offered is one year buds. As stock of some kinds is limited we request that selections be left to us as far as possible, stating number of varieties desired, or else give second choice.

*Varieties starred are either of dwarf growth or else extremely scarce and for these sorts the price will be that of the next larger grade.

| | | | | Less than 50 @ | 50 or more @ |
|---|----|-------|-----|-------------------|-----------------|
| TAMARIX pentandra (aestivalis) | 8 | to 10 | ft. | | .60 |
| SUMMER FLOWERING TAMARISK. | 6 | to 8 | ft. | | .50 |
| | 4 | to 6 | ft. | | .40 |
| VIBURNUM americanum, | 1½ | to 2 | ft. | | .25 |
| HIGH BUSH CRANBERRY. | | | | | |
| WEIGELA amabilis | 4 | to 5 | ft. | | .60 |
| | 3 | to 4 | ft. | | .40 |
| | 2 | to 3 | ft. | | .30 |
| | 1½ | to 2 | ft. | | .25 |
| candida | 4 | to 6 | ft. | | .60 |
| | 2 | to 3 | ft. | | .30 |
| | 1½ | to 2 | ft. | | .25 |
| rosea | 4 | to 6 | ft. | | .75 |
| | 1 | to 1½ | ft. | | .25 |
| Chameleon | 4 | to 5 | ft. | | .60 |
| | 3 | to 4 | ft. | | .40 |
| | 2 | to 3 | ft. | | .30 |
| Gigantiflora | 4 | to 5 | ft. | | .60 |
| | 3 | to 4 | ft. | | .40 |
| Mme Couturier | 1½ | to 2 | ft. | | .30 |
| | 1 | to 1½ | ft. | | .25 |
| Steltzneri | 1½ | to 2 | ft. | | .30 |
| | 1 | to 1½ | ft. | | .25 |

CLIMBERS

| | | | | Less than 50 or 50 @ more @ | |
|--|------------------|----|-------|--------------------------------|------|
| AKEBIA lobata | 6 in. pot. | 4 | to 6 | ft. | .50 |
| quinata | 6 in. pot. | 4 | to 6 | ft. | .50 |
| AMPELOPSIS quinquefolia | 6 in. pot. | 3 | to 4 | ft. | .50 |
| VIRGINIA CREEPER. | 5 in. pot. | | 2 | ft. | .40 |
| quinquefolia englemanni | 5 in. pot. | | 2 | ft. | .50 |
| BIGNONIA alba | 5 in. pot. | 2 | to 3 | ft. | .35 |
| tweediana | 5 in. pot. | 2 | to 3 | ft. | .35 |
| CLEMATIS montana | 3 in. pot. | 6 | to 8 | in. | .20 |
| CLIANTHUS puniceus, | 5 in. pot. | 1 | to 1½ | ft. | .35 |
| PARROT'S BILL. | | 10 | to 12 | in. | .25 |
| HARDENBERGIA monophylla | 5 in. pot. | 3 | to 4 | ft. | .50 |
| monophylla alba | 4 in. pot. | 2 | to 2½ | ft. | .40 |
| monophylla lilarosa | 4 in. pot. | | 3 | ft. | .50 |
| | 3 in. pot. | 8 | to 12 | in. | .30 |
| | 3 in. pot. | 4 | to 6 | in. | .20 |
| HEDERA helix, ENGLISH IVY | 4 and 5 in. pot. | 2 | to 2½ | ft. | .30 |
| | 3 in. pot. | 6 | to 10 | in. | .20 |
| JASMINUM beesianum, | 4 in. pot. | 2 | to 3 | ft. | .40 |
| PINK JASMINE. | 4 in. pot. | 1½ | to 2 | ft. | .30 |
| | 4 in. pot. | 1 | to 1½ | ft. | .25 |
| rigidum (ligustrifolium) | 5 in. pot. | 1 | to 1½ | ft. | .30 |
| primulinum, | 5 in. pot. | 3 | to 4 | ft. | .40 |
| DBL. YELLOW JASMINE. | | | | | .30 |
| LONICERA periclymenum belgica, field grown heavy | | | | | .75 |
| japonica aureo-reticulata | 5 in. pot. | 2 | to 3 | ft. | .30 |
| | 2½ in. pot. | | | | .20 |
| MILLETTIA megasperma | 6 in. pot. | 5 | to 6 | ft. | 1.50 |
| EVERGREEN WISTERIA. | | | | | |
| PHASEOLUS caracalla, SNAIL VINE | 4 in. pot. | 6 | to 8 | in. | .35 |
| PHYSIANTHUS albens, CRUEL VINE | 4 in. pot. | 4 | to 6 | ft. | .20 |
| RHYNCOSPERMUM jasminoides, | 4 in. pot. | 1 | to 1½ | ft. | .40 |
| STAR JASMINE. | | | | | |
| SOLANUM jasminoides | 6 in. pot. | 4 | to 5 | ft. | .40 |
| SOLLYA heterophylla | 5 in. pot. | 3 | to 4 | ft. | .50 |
| AUSTRALIAN BLUE BELL. | 5 in. pot. | 1 | to 1½ | ft. | .30 |
| TECOMA australis, | 5 in. pot. | 4 | to 5 | ft. | .40 |
| WONGA-WONGA VINE. | | | | | |
| capensis, CAPE HONEYSUCKLE | 5 in. pot. | 3 | to 4 | ft. | .50 |
| jasminoides | 5 in. pot. | 2 | to 3 | ft. | .35 |
| mackeni | 5 in. pot. | 3 | to 4 | ft. | .50 |
| | 5 in. pot. | 1½ | to 2 | ft. | .30 |

MISCELLANEOUS

| | | | | | |
|------------------------------|---------------|------|-------|-----|------|
| DRACAENA australis | balled | 8 | to 9 | ft. | 5.00 |
| | balled | 7 | to 8 | ft. | 4.00 |
| | balled | 6 | to 7 | ft. | 3.50 |
| | balled | 5 | to 6 | ft. | 3.00 |
| | balled | 4 | to 5 | ft. | 2.50 |
| | 16 in. box | 8 | to 9 | ft. | 6.00 |
| PEONIES—named varieties | entire clumps | | | | .75 |
| PHORMIUM tenax variegatum | balled | 5 | to 6 | ft. | 1.00 |
| VARIEGATED NEW ZEALAND FLAX. | 3 | to 4 | ft. | .75 | |
| | 6 in. pot. | 3 | to 4 | ft. | .75 |
| | 5 in. pot. | 1½ | to 2 | ft. | .50 |
| PLUMBAGO larpentae | 5 in. pot. | 1 | to 1½ | ft. | .35 |

Address all correspondence, inquiries and orders to:

COTTAGE GARDENS NURSERIES,

Box 543, San Jose, California